


Rearview Camera (Rear Assist) , (KA2)

From September 2014

The Audi brand name is written in its signature bold, sans-serif font, with the letters 'A', 'u', 'd', and 'i' stacked vertically.

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability with respect to the correctness of information in this document. Copyright by AUDI AG.

The logo for 'erWan' is partially visible, showing the letters 'erWan' in a stylized, lowercase font.



Rearview Camera System Control Module

J533 Data Bus on Board Diagnostic Interface
 J772 Rearview Camera System Control Module
 ST3 Fuse Panel 3
 SF4 Fuse 4 (On Fuse Panel F)
 T20i 20-Pin Connector, Red
 T32b 32-Pin Connector
 T46b 46-Pin Connector
 TV36 Instrument Cluster CAN Bus High Wire Junction, On the Relay and Fuse Panel in the Luggage Compartment, Right
 TV40 Instrument Cluster CAN Bus Low Wire Junction

- 51 Ground Connection in Luggage Compartment, Right
- 386 Ground Connection 21 (in Main Wiring Harness)
- 389 Ground Connection 24 (in Main Wiring Harness)

* Refer to Applicable Wiring Diagram for Fuse Positions
 *2 Avant
 *3 Data Bus Wire (CAN Bus)

ws = white
 sw = black
 ro = red
 rt = red
 br = brown
 gn = green
 bl = blue
 gr = grey
 li = lilac
 vi = lilac
 ge = yellow
 or = orange
 rs = pink

Rear Lid Lock Cylinder Unlock Button, Rearview Camera System Control Module, Rearview Camera

F248	Rear Lid Lock Cylinder Unlock Button
J393	Comfort System Central Control Module
J772	Rearview Camera System Control Module
J794	Information Electronics Control Module 1
R189	Rearview Camera
T2df	2-Pin Connector, Green
T2dg	2-Pin Connector, Gray
T2eq	2-Pin Connector, Under the Rearview Camera Cover
T2er	2-Pin Connector, Under the Rearview Camera Cover
T2es	2-Pin Connector
T12c	12-Pin Connector, Blue
T12g	12-Pin Connector, Blue
T20l	20-Pin Connector, Red
T32g	32-Pin Connector, Gray



Audi


Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by AUDI AG. AUDI AG does not guarantee or accept any liability in respect of information in this document. Copyright by AUDI AG.

383 Ground Connection 18 (in Main Wiring Harness)

Refer to Applicable MMI (Information Electronics) Wiring Diagram

*2 Only for Vehicles with RMC Radio System

*3 Only for Vehicles with a Rearview Camera System



ws = white
sw = black
ro = red
rt = red
br = brown
gn = green
bl = blue
gr = grey
li = lilac
vi = lilac
ge = yellow
or = orange
rs = pink